

TECHNICAL DATA SHEET

FLOYD 90 WITHOUT BACK IP20

INDOOR - INTERNO - INNENBEREICH - INTERIEUR - INTÉRIEUR - INTERIOR

Fix (not adjustable) 0° - 0°

Material : CALCYT® plasterboard

FLOYD 90 FOR LED

REF N° 361 05 090 without back

Ready for LED - Excl LED Strip

FLOYD 90 FLUO

REF N° 361 25 090 without back

4x T16-S - 28/54W - G5

230V/50Hz -  - incl EVG - 

↓0.5m -  -  - IP20 850°C


© - 

Other versions available on request

1400

1345

ø 900



TECHNICAL DATA SHEET

FLOYD 90 WITH BACK IP20

INDOOR - INTERNO - INNENBEREICH - INTERIEUR - INTÉRIEUR - INTERIOR

Fix (not adjustable) 0° - 0°

Material : CALCYT® plasterboard



FLOYD 90 FOR LED

REF N° 361 00 090 with back

Ready for LED - Excl LED Strip

FLOYD 90 FLUO

REF N° 361 15 090 with back

4x T16-S - 28/54W - G5
230V/50Hz -  - incl EVG - 

↓0.5m -  -  - IP20 850°C


Ⓟ - 

Other versions available on request

1400

1345

ø 900



TECHNICAL DATA SHEET

FLOYD 120 WITHOUT BACK IP20

INDOOR - INTERNO - INNENBEREICH - INTERIEUR - INTÉRIEUR - INTERIOR

Fix (not adjustable) 0° - 0°

Material : CALCYT® plasterboard






FLOYD 120 FOR LED

REF N° 361 05 120 without back


Ready for LED - Excl LED Strip

FLOYD 120 FLUO

REF N° 361 25 120 without back

4x T16-S - 28/54W - G5
230V/50Hz -  - incl EVG - 
↓0.5m  -  - CE - IP20 850°C
© - 

Other versions available on request



TECHNICAL DATA SHEET

FLOYD 120 WITH BACK IP20

INDOOR - INTERNO - INNENBEREICH - INTERIEUR - INTÉRIEUR - INTERIOR

Fix (not adjustable) 0° - 0°

Material : CALCYT® plasterboard










FLOYD 120 FOR LED

REF N° 361 00 120 with back

Ready for LED - Excl LED Strip

FLOYD 120 FLUO

REF N° 361 15 120 with back

4x T16-S - 28/54W - G5
230V/50Hz -  - incl EVG - 
 0.5m  -  -  - IP20 850°C
 -  - 

Other versions available on request

